IN THE UNITED STATES DISTRICT COURT FOR THE SOUTHERN DISTRICT OF WEST VIRGINIA CHARLESTON DIVISION

IN RE: ETHICON, INC. PELVIC REPAIR SYSTEMS PRODUCTS LIABILITY LITIGATION

Master File No. 2:12-MD-02327 MDL 2327

ETHICON WAVE 6 CASES LISTED IN EXHIBIT A TO PLAINTIFFS' NOTICE

EXHIBIT A TO PLAINTIFFS' NOT OF ADOPTION

JOSEPH R. GOODWIN U.S. DISTRICT JUDGE

NOTICE OF ADOPTION OF PRIOR DAUBERT RESPONSE OF STEVEN MACLEAN, M.D., FOR WAVE 6

Come now, the Defendants, and hereby adopt and incorporate by reference the Daubert response filed in relation to Steven MacLean, M.D., for Ethicon Wave 1, Dkt. [2287] and for Ethicon Wave 3, Dkt. [2942]. The Court previously overruled most of Plaintiffs' objections to Dr. MacLean's testimony, Dkt. [2724]. Defendants respectfully request that the Court deny Plaintiffs' motion, for the reasons expressed in the Wave 1 and Wave 3 response briefing and as adopted by this Court in its prior ruling.

Respectfully submitted,

/s/ Christy D. Jones

Christy D. Jones Butler Snow LLP 1020 Highland Colony Parkway Suite 1400 (39157) P.O. Box 6010 Ridgeland, MS 39158-6010 (601) 985-4523 christy.jones@butlersnow.com

¹ This Memorandum Opinion and Order was adopted with respect to Wave 3 cases, as well, Dkt. [4183].

/s/ David B. Thomas

David B. Thomas (W. Va. Bar No. 3731)
Thomas Combs & Spann, PLLC
300 Summers Street, Suite 1380
P.O. Box 3824
Charleston, WV 25338-3824
(304) 414-1800
dthomas@tcspllc.com

ATTORNEYS FOR ETHICON, INC., ETHICON, LLC and JOHNSON JOHNSON

CERTIFICATE OF SERVICE

I hereby certify that on this day, I electronically filed the foregoing document with the Clerk of the court using CM/ECF system which will send notification of such filing to the CM/ECF participants registered to receive service in this MDL.

/s/ Christy D. Jones
Christy D. Jones

39198543.v1